










JOHN FIG. PH201 Cast Iron Flanged Globe Valve

MAX WORKING PRESSURE: HYDROSTATIC TEST PRESSURE:

Water 1400 kpa @ 120° C Body: 2100 kpa Seat: 1400 kpa



The Ever Fig PH20IE Cast Iron Globe Valves are of robust design and cover most applications within their specified working conditions. These valves will give long service life with minimum maintenance. Flanges available in AS2129 Table 'E', ANSI-125 and Undrilled.



MATERIALS OF CONSTRUCTION

COMPONENT	MATERIAL
BODY	CAST IRON
YORK BUSH	CAST BRONZE
STEM	STAINLESS STEEL
GLAND	DUCTILE IRON
BONNET	CAST IRON
DISC	CAST IRON
DISC SEAT RING	CAST BRONZE
BODY SEAT RING	CAST BRONZE

DIMENSIONS

SIZE	Α	B(OPEN)	С	wt. (kg)
50	203	315	160	12
65	216	346	160	17
80	241	366	180	22
100	292	409	200	34
125	330	465	250	52
150	356	521	280	71
200	495	594	300	114
250	622	683	355	187
300	699	767	400	270

John Valves P/L reserves the right to change materials and/or dimensions without notice.



A.C.N. 007 400 759 | A.B.N. 98 007 400 759